



Product Characteristics

- Compact design;
- 3.5" large colour display;
- User selectable eight levels of screen brightness, providing optimum view;
- High flow rate accuracy is achieved: within $\pm 3\%$;
- Flow rate can be set from 0.1ml/h to 2000ml/h;
- Advanced SEMI-PRESS system
- Possibility to perform infusions in a variety of situations, such as small infusions for neonates and rapid infusion for emergency care;
- Any change is accurately displayed both graphically and numerically, allowing the clinician to easily observe;
- Pump provides up to 11 levels of pressure settings to match clinical requirements;
- Four pressure units (mmHg, kPa, bar, psi) can be converted automatically to meet different user requirements;
- Special clamp design on the pump ensures that the clamp grips the infusion tube automatically when the door is opened, avoiding large amounts of liquids harming the patient;
- Anti-bolus function;
- 6 levels of air bubble detection;
- Up to 2000 pieces of infusion information will be stored automatically;
- Eight application modes: Rate, Time, Body Weight, Ramp up/Ramp down, Sequential, Micro-infusion, Loading Dose, and TIVA mode;
- Titration makes it possible to change flow rate during operation without stopping the pump, guaranteeing continuous infusion;
- More than 9 hours of battery operating time with only 6 hours charging time;
- Dimensions: 295mm (w) x 87mm(h) x 174(d).

AFG

Avenida do Infante, n 8
Edifício Executivo, 1F
9000 - 015 Funchal, Madeira

291 763 044
geral@afg.pt
www.afg.pt